

**XEROX®**

Technology | Document Management | Consulting Services

Phaser® 6110MFP



print | copy | scan | fax

Your **complete**  
office solution



# Phaser® 6110MFP

Finally a color multifunction system that fits your office – and your budget. Convenient, colorful and extremely cost-effective, the Xerox Phaser 6110MFP gives you the features you want for your busy office.



## More for less

It's an all-in-one package that includes all the tools you need – print, copy, scan, fax – at one great price.

- Why buy individual devices, when you can get the right combination of office functions in one? The 6110MFP/S model has the three essentials: print, copy and scan. The 6110MFP/X model adds fax.
- Consolidating your office tools into one unit will streamline maintenance and everyday use, and save precious office space.
- Reduce printing costs by taking advantage of cost-saving features like toner-saver mode, N-up printing and manual two-sided printing.
- An energy saver mode substantially conserves electricity when not in use.

## Convenient

From installation to everyday use, the Phaser 6110MFP is designed to make office life more efficient.


- You won't believe how small and lightweight a color multifunction device can be. It will fit right on your desktop or into tight office spaces.
- Set up and everyday use are extremely simple – 4 mouseclicks for a typical installation is all it takes. Toners are located behind the front panel for easy replacement by users.
- Fully network-ready so that it is accessible to everyone on the office network regardless of platform (PC, Mac, Linux). Handy front-access USB port for direct printing (.prn files) from a USB memory device. Also PictBridge compatible.
- Very quiet operation – making it a great fit for your office environment.
- Xerox CentreWare IS embedded web server allows you to manage, configure and trouble-shoot the device from anywhere using a web browser.





Address Book allows you to store fax numbers and email addresses.

Print files stored on a USB memory device.



Store frequently-dialed fax numbers and enter them with the touch of a few buttons.

All functions are available in color.

Image shown is the 6110MFP/X control panel

## Colorful

Get an unmatched combination of outstanding color and superb performance.

- 2400 image quality color adds value and impact to all your communications.
- Keeps up with your office pace with print and copy speeds up to 16 ppm black-and-white, 4 ppm color.
- A generous 128 MB of memory allows it to handle complex color print jobs effortlessly.
- All functions are color-enabled, including color scan to email and color fax.
- Easily scan hardcopy into digital documents and distribute them anywhere: email, USB memory device and directly to an application on your desktop. We've included Nuance® PaperPort® software, at no extra charge, to convert scanned documents to editable files.
- The ID copy feature allows you to copy both sides of an ID document onto one side of paper. The ability to print watermarks, posters and preprinted forms in color opens up more possibilities.

## Designed for ease of use

- 1 Using the Automatic Document Feeder, you can load up to 50 sheets of paper for one job.
- 2 Use the single-sheet bypass tray for heavy paper, envelopes, labels, postcards and custom sized media.
- 3 The standard 150-sheet paper tray feeds 16 to 43 lb. bond / 60 to 163 gsm.
- 4 Optional additional tray adds 250 sheets of input capacity for a total of 400 sheets.
- 5 USB Memory Port allows use of USB flash memory devices. PictBridge compatible.



# Phaser® 6110MFP



Call today. For more information, call **1-877-362-6567** or visit us at [www.xerox.com/office](http://www.xerox.com/office)



print | copy | scan



print | copy | scan | fax

CONFIGURATIONS	Phaser 6110MFP/S	Phaser 6110MFP/X
<b>Speed</b>	Up to 17 ppm (letter), 16 ppm (A4) Black-and-White / 4 ppm Color (letter/A4)	
<b>Duty Cycle</b>	Up to 24,200 pages / month	
<b>Paper Handling</b>	<b>Automatic Document Feeder:</b> 50 sheets; Size: 5.6 x 5.8 in. to 8.5 x 14 in. / 142 x 148 mm to 216 x 356 mm <b>Bypass Tray:</b> 1 sheet; Size: Custom sizes from 3 x 5 in. to 8.5 x 14 in. / 76 x 127 mm to 216 x 356 mm <b>Tray 1:</b> 150 sheets; Size: Custom sizes from 3 x 5 in. to 8.5 x 14 in. / 76 x 127 mm to 216 x 356 mm Optional <b>Tray 2:</b> 250 sheets; Size: Selectable sizes from Letter to Legal / A6 to A4	
Paper Input	Standard	
Paper Output	100 sheets	
<b>Copy</b>	As fast as 18 seconds Black-and-White / 36 seconds Color	
First-Page-Out Time		
Copy Resolution	1200 x 1200 dpi	
Copy Features	Collation, Reduce/Enlarge, 2-Up or 4-Up, Poster Copying, Clone Copying, Erase Background Images, ID Card Copy	
<b>Print</b>	As fast as 14 seconds Black-and-White / 26 seconds Color	
First-Page-Out Time		
Print Resolution	Up to 2400 x 600 Image Quality	
Memory	128 MB	
Processor / PDL	300 MHz / Host Based	
Connectivity	USB 2.0, 10/100 Base-TX Ethernet	
Print Features	Manual 2-sided printing, Watermarks, Booklet Printing, Poster Printing, N-Up, Fit to Page, Scaling, Overlays, Cover Page, Collation	
<b>Scan</b>	Scan to Email, Scan to PC, USB Memory Device, Network Scan	
Scan destinations		
Scan Features	PDF, JPEG, TIFF, Multi-page TIFF, Nuance® PaperPort® SE 10.0, Color Scanning	
<b>Fax</b>	NA	Embedded Fax (33.6 Kbps with JBIG Compression)
Fax Features	NA	Fax Forward to Fax or Email, Secure Fax, Color Fax, Incoming Fax Memory: 4 MB or 320 pages, Speed Dials: up to 240
<b>Warranty</b>	One Year Warranty	

## DETAILED SPECIFICATIONS

### Device Management

CentreWare® IS Embedded Web Server, Internet Services, CentreWare Web, Xerox Status Monitor, Printer Setting Utility, SetIP

### Print Drivers

Windows® 98/Me/NT 4.0/2000/XP/2003, Mac OS® X version 10.3-10.4, Linux: RedHat® 8.0-9.0, Fedora™ Core 1, 2, 3, 4, Mandrake 9.2-10.1, SuSE™ 8.2-9.2

### Media Handling

Bypass Tray: 16 to 43 lb. bond / 60 to 163 gsm  
 Tray 1 (standard): 16 to 43 lb. bond / 60 to 163 gsm  
 Tray 2 (optional): 16 to 24 lb. bond / 60 to 90 gsm

Automatic Document Feeder: 12.5 to 32 lb. bond / 50 to 120 gsm  
 Media Types: Plain Paper, Envelopes, Labels, Card Stock, Transparencies

### Operating Environment

Temperature: 59° to 90.5°F / 15° to 32.5°C  
 Humidity: -10 to 80% RH

### Electrical

Power: 110 – 127 VAC, 50/60 Hz, and 220 – 240 VAC, 50/60 Hz  
 Power Consumption: Average: 350 W  
 Power Saver Mode: Less than 30 W  
 ENERGY STAR® Compliant  
 Sound Pressure: Printing: 47 dB (A), Standby: 26 dB (A)  
 Sound Power: Printing 5.6 B, Standby: 3.4 B  
 Warm-up Time: Less than 35 seconds (from sleep mode)

### Physical Dimensions (WxDxH)

18.3 x 16.8 x 19.1 in. / 466 x 429 x 486 mm  
 Weight: 45.2 lb. / 20.5 kg

### Supplies

Toner  
 Black: 2,000 pages<sup>1</sup> 106R01274  
 Cyan: 1,000 pages<sup>1</sup> 106R01271  
 Magenta: 1,000 pages<sup>1</sup> 106R01272  
 Yellow: 1,000 pages<sup>1</sup> 106R01273  
 (Ships with 1,500 pages<sup>1</sup> Black toner and 700 pages<sup>1</sup> CMY toner)

<sup>1</sup> Average standard pages. Declared yield based on 5% area coverage on A4/letter size paper. Yield will vary based on image, area coverage and print mode.

### Routine Maintenance Items

Imaging Unit:  
 approx. 20,000 black pages<sup>2</sup> or approx. 12,500 color pages<sup>2</sup>  
 108R00744  
 Waste Toner Container:  
 approx. 5,000 images or approx. 1,250 pages (full color 5% image)  
 108R00722

<sup>2</sup> Yield will vary based on job run length, media size and orientation.

### Regulatory

Listed to UL 60950-1/CSA 22.2 No. 60950-1-03, Class 1 Laser Product, FCC Part 15 Class B, CE marked in accordance with Low Voltage Directive, 73/23/EEC and EMC Directive, 89/336/EEC. CB Certified against IEC 60950, Section 508 ADA.

