



CD 1060

DIGITAL COPYING SYSTEM



CD 1060

READY FOR ANYTHING.

You will always be glad to have the high-performance CD 1060 close by: with a copy speed of 60 A4 pages per minute and a warm-up time of only 30 seconds, it rapidly delivers perfect copies at 1,200 dpi. Whether it is used in copy shops or as the central unit for a large department, the CD 1060 can handle large volumes quickly and halves waiting time thanks to the standard duplex unit and document feeder for double-sided copying, which scans both sides without turning over the original. The digital copying system is especially industrious because of a variety of intelligent labour-saving features and optional system extensions, for example, a finisher, additional memory capacity and a scanning system.

IT IS THERE TO GIVE YOU A HELPING HAND.

The CD 1060 can also be used as a paper manager: it can administer up to 1,000 cost centres, features job allocation for optimum workflow, electronic sorting and the very practical 'Scan Once – Copy Many' function. The control panel can be angled down, which means that all central control functions can be used easily and comfortably irrespective of a person's height and posture. There is another feature that makes handling easier: when the original is inserted, the document feeder can be limited to a 30° angle to guarantee access at a height of no more than 1.32 m.

When it comes to paper processing, the CD 1060's functionality is extended if the optional 3,000 sheet finisher is combined with the modular finisher expansion options. Hole punching, folding, stapling or booklet creation are all possible. An optional multi tray ensures that everything is sorted into job-related output trays.






GOOD FROM EVERY SIDE.

Thanks to the innovative duplex scan technology in the CD 1060 – where both sides of an original are scanned simultaneously – double-sided pages are produced at almost the same speed as single-sided ones. The result: twice the productivity with half the paper use. When combined with the sizeable document feeder, where up to 200 pages can be inserted at once, time and effort are saved. There is also an option to increase the standard paper capacity from 4,100 sheets to 8,100 sheets.



The CD 1060 really becomes an all-rounder through the addition of the optional printing system. With 60 pin-sharp A4 printouts a minute, the fast PowerPC 600 MHz CPU and large memory, it will do an outstanding job for the entire workgroup. If the optional scanning system with the 'scan to e-mail' and 'scan to PC' functions is added, then the CD 1060 becomes an all-in-one solution.



IT JUST MAKES SENSE.

The CD 1060 is also a good choice when it comes to the environment. By avoiding specific hazardous substances during manufacture, using an intelligent single component system and the use of durable, high-quality components, such as the amorphous silicon drum, both financial and natural resources are used responsibly.



RELIABLE EXPERT:

- High-performance document feeder for up to 200 originals
- Scanning speed of up to 60 A4 pages per minute
- Top copying speed of 60 A4 pages per minute
- Minimal waiting time for the first page: 2.9 seconds
- Warm-up time of only 30 seconds
- 128 MB + 40 GB copy memory
- Paper capacity of 4,100 sheets, easily expandable to 8,100 sheets
- Standard duplex unit for reduction in paper usage
- A tilting control panel and adjustable document feeder height
- With up to 1,000 cost centres, it can be used as a central output system



Standard features:

CD 1060 with 4,200-sheet paper capacity, duplex, document feeder for up to 200 sheets (duplex) and 40 GB copier hard disk

- 1 Document Feeder with duplex scan feed for up to 200 sheets
- 2 Tilting, user-friendly control panel
- 3 3,000 sheet finisher*, stapler for up to 50 sheets, Multi tray for 5 x 150 sheets (without figure)*, Booklet module (without figure)*
- 4 Hole punching module* for the 3,000 sheet finisher
- 5 Duplex unit
- 6 2 x 1,500 sheet A4/B5
- 7 2 x 500 sheet A3-A5R
- 8 Printing system (V)*
- 9 40 GB hard disk for the printing system*
- 10 Scan system (F)*
- 11 Data security kit*

*option



TECHNICAL DATA

GENERAL

Type	Console unit
Function	Copy, optional: print, scan
Print technology	Laser b/w
Original feeder	200 sheet duplex scan feed
Original format	max A3 on the platen glass
Copy/print speed	max 60 A4 pages/min and 31 A3 pages/min
1st copy/warm-up time	3.6 seconds*/30 seconds
Copy resolution	600 x 600 dpi
Greyscales	256
Paper feed	2 x 500 sheet universal cassettes (A3-A5R), 2 x 1,500 sheet large capacity cassettes (A4), 100 sheet multi-bypass (A3-A6R)
Paper weights	Universal cassette 60-160 g/m ² , multi-bypass 60-200 g/m ² , duplex 60-105 g/m ²
Paper output	250 sheet A4
Copy memory	128 MB RAM, 40 GB HDD
Continuous copying	1-9,999 copies
Zoom	25%-400% in steps of 1%
Functions	Moveable touch screen, 1,000 management codes, electronic sorting, brochure function, Eco print-mode, proof mode, overlay function, etc.
DIMENSIONS/WEIGHT	
Dimensions	1,190 x 680 x 783 mm (H x W x D)
Weight	approx. 188 kg
ENVIRONMENT	
Mains voltage	220/240 V, 50/60 Hz
Power consumption	approx. 1,371 W in operation, approx. 395 W in stand-by mode, approx. 236 W in sleep mode, approx. 10 W in off-mode
Noise level	approx. 71 dB(A) in operation, approx. 57.6 dB(A) in stand-by mode
Safety	GS/TÜV, CE

*depending on operating status

OPTIONAL PRINTING SYSTEM (V)

Type	Can be integrated within the system
Print format	A3-A6R
Print resolution	600 x 600 dpi
Processor	PowerPC 750/600 MHz
Print memory	64 MB RAM (max 576 MB RAM - 2 slots)
Interface	IEEE 1284 parallel, USB 2.0, 10/100BaseTX, CF slot
Network protocols	TCP/IP, IPX/SPX, Net BEUI, EtherTalk
Operating systems	Windows 2000, XP, Server 2003, Vista, Novell NetWare, Linux, Mac OS 9.2
Emulations	PCL6, KPDL 3 (PostScript 3 compatible), PRESCRIBE IIe, Line Printer, Diablo 630, KCGL, IBM Proprinter X24E, Epson LQ-850
Functions	Direct PDF printing, printing of e-mails, barcode printing

OPTIONAL SCAN SYSTEM (G)

Scan type	CCD b/w
Scan format	max A3
Scan speed	max 60 A4 originals/min
Scan resolution	200 dpi, 300 dpi, 400 dpi, 600 dpi
Scan mode	Photo, text, photo/text, OCR
File types	TIFF, PDF
Interface	10/100BaseTX
Network protocol	TCP/IP
Operating systems	Windows 2000, XP
Software	Scanner file utility, address book, address book editor, paper port (OEM version)
Functions	Scan to PC, scan to e-mail, scan to FTP, TWAIN scan, 40 return addresses, SMTP authentication

OPTIONS

Finisher	DF-650 (3,000 sheet A4 capacity, 4 stapling positions max 50 sheet A4), PH-4C hole punch unit, BF-1 brochure folding module for DF-650, MT-1 multi tray for DF-650
Paper feed	PF-650 (4,000 sheet large capacity cassette (A4/B5))
Other options	Data security kit (B), HD-10 hard disk for printing system (for full usage of the e-MPS functions)




The CD 1060 is manufactured in accordance with the requirements of the ENERGY STAR Program. UTAX recommends that you use only genuine UTAX accessories for trouble-free operation of your system. For recommended print media refer to the user manual.

Specifications subject to change without notice.

Image shows machine with optional accessories.

Your UTAX dealer



08/2007

Following in-depth analysis of all output systems used in the company, with our wholistic sales concept **UTAX DOCUMENT CONSULTING** we create an offer precisely tailored to the customer's needs. Using the very **latest UTAX digital systems** in combination with **reasonable software solutions** from the DMS areas of **archiving, form printing and accounting**, the entire **output and document management** becomes extremely efficient and **reduces costs**.

UTAX GmbH Norderstedt

www.utax.com

UTAX and the UTAX logo are registered trademarks of UTAX GmbH. All other brand names referred to are registered trademarks of the respective manufacturers.

UTAX
DOCUMENT CONSULTING