



CLP 3316/3520



COLOUR
PRINTER



CLP 3316/3520



BRILLIANT RESULTS IN BOTH COLOUR **AND BLACK AND WHITE: CLP 3316 AND CLP 3520.**

Teams and departments now have access to the full benefits of colour documents more easily with the CLP 3316 and the CLP 3520. Specially tailored to the needs of office users, these high-quality and economical printers produce eye-catching presentations, reports and proposals. The all-round, streamlined solution for cost-saving, compact, quiet and, above all, efficient office communication.

CLP 3316

RELIABLE PARTNERS FOR ALL YOUR COMMUNICATION NEEDS.



Colour attracts our attention at first glance. The CLP 3316 and the CLP 3520 are two professionals your office staff can rely on. Compact design without compromising on effect, the performance of each speaks for itself. LED technology is combined with an innovative developing process, using a series of four drums to ensure consistently high quality. The systems print with a speed of 16 and 20 A4 colour pages a minute respectively – as rapidly as the black and white edition – producing outstanding text and image definition every time. 600 x 600 dpi resolution and multibit technology ensure visible colour excellence.



TOP MARKS FOR YOUR COLOUR PRINTS.

Easy network integration makes the CLP 3316 and the CLP 3520 the low-cost solutions for all printing needs of a small team or even an entire work group. CLP 3316 and the CLP 3520 are easily integrated into your office network, for efficient management of all the office team's print jobs. The internal memory of 128 MB RAM ensures effective processing – and it can be increased to 640 MB as the need arises.

And, should you require even higher performance, both systems can be extended with a 40 GB hard drive. In addition to processing larger printing data volumes, this can be used to make available numerous other functions, e.g. job memory for processed files and a virtual mailbox system. The optional duplex unit for the CLP 3316 and the CLP 3520 is another useful extension, enabling double-sided A4 printing and thus helping you to reduce paper usage.

CLP 3520

DOUBLE PERFORMANCE TO MEET YOUR NEEDS.

With so many functions, the CLP 3316 and CLP 3520 show their best sides in any working environment. Even smaller office environments not wanting to forgo the communication advantage of colour benefit from the advantages of the CLP 3316. With a 400 MHz processor, this system has the capacity to produce great print results at any desk or for any team. The first page is printed 16 seconds after data has been transferred from the PC – and with a printing rate of 6 A4 pages a minute in colour, the CLP 3316 quickly delivers the results into your hands. And costs have not been forgotten here either: The CLP 3316 even manages smaller printing volumes economically. And paired with the CLP 3520, it is a productive business professional for work groups and departments with greater printing volume requirements. The system's reliable 500 MHz PowerPC CPU is specially designed for larger volume printing. Incoming print jobs are processed and sent to the printing device more quickly. Only 13 seconds later, the first page awaits you in the paper tray – 20 A4 colour pages per minute can follow.



TECHNICAL DATA

CLP 3316/3520

GENERAL

| | |
|-----------------------|---|
| Type | Desktop |
| Function | Print |
| Print technology | LED colour and b/w |
| Print format | A4-A6R |
| | max 216 x 354 mm, min 70 x 148 mm |
| Print speed | CLP 3316: max 16 A4 pages/min in colour and b/w, CLP 3520: max 20 A4 pages/min in colour and b/w |
| 1st copy/warm up time | CLP 3316: approx. 16 seconds*/80 seconds, CLP 3520: approx. 13 seconds*/68 seconds |
| Print resolution | 600 x 600 dpi |
| Paper feed | 1 x 500 sheet universal cassette (A4-A5R), 100 sheet multi-bypass (A4-A6R) |
| Paper weights | Universal cassette 60-105 g/m ² , Multi Bypass 60-200 g/m ² |
| Paper output | 250 sheet A4 face down |
| Processor | CLP 3316: PowerPC 750CX/400 MHz, CLP 3520: PowerPC 750CX/500 MHz |
| Print memory | 128 MB RAM (max 640 MB RAM), 2 slots |
| Interface | USB 2.0, 10/100BaseTX |
| Network protocols | TCP/IP, IPX/SPX, Net BEUI, EtherTalk |
| Operating systems | Windows 2000, XP, Server 2003, Novell NetWare, Linux, Mac ex OS 9.2 |
| Emulations | PCL6, KPDL 3 (PostScript 3 compatible), PRESCRIBE IIc |
| Functions | Barcode printing, PDF direct printing, private printing, glossy mode |

DIMENSIONS/WEIGHT

| | |
|------------|---|
| Dimensions | 385 x 345 x 470 mm (H x W x D) |
| Weight | CLP 3316: approx. 24 kg, CLP 3520: approx. 25 kg |

ENVIRONMENT

| | |
|-------------------|---|
| Mains voltage | 220/240 V, 50/60 Hz |
| Power consumption | CLP 3316: approx. 1,038 W max, approx. 452 W in operation, approx. 173 W in stand-by mode, approx. 16 W in sleep mode, CLP 3520: approx. 1,091 W max, approx. 443 W in operation, approx. 117 W in stand-by mode, approx. 19 W in sleep mode |
| Noise level | approx. 52 dB(A) in operation, 36 dB(A) in stand-by mode |
| Certifications | GS/TÜV, CE |

CONSUMABLES

| | |
|-----------|---|
| Toner kit | CLP 3316: Toner kit black for 6,000 A4 pages with 5% page coverage, starter kit black for 3,000 A4 pages with 5% page coverage Toner kit cyan, magenta, yellow, each for 4,000 A4 pages with 5% page coverage, starter kit cyan, magenta, yellow, each for 2,000 A4 pages with 5% page coverage, CLP 3520: Toner kit black for 8,000 A4 pages with 5% page coverage, starter kit black for 4,000 A4 pages with 5% page coverage Toner kit cyan, magenta, yellow, each for 8,000 A4 pages with 5% page coverage, starter kit cyan, magenta, yellow, each for 4,000 A4 pages with 5% page coverage |
|-----------|---|



OPTIONS

| | |
|--------------|---|
| Paper feed | CLP 3316: PF-60 (1 x 500 sheet universal cassette (A4-A5R)), CLP 3520: PF-60 (max 3 x 500 sheet universal cassettes (A4-A5R)) |
| Paper output | CLP 3316: PT-300 (max 250 sheet face-up, when using with DU-301 max 100 sheet face-up), CLP 3520: PT-301 (max 100 sheet face-up) |
| Others | DU-301 (duplex unit, 60-105 g/m ² , A4-A5R), HD-5 hard disk (40 GB), cabinet wood no. 49, CLP 3520: EF-310 envelope feeder |

Your UTAX dealer

UTAX GmbH Norderstedt www.utax.com



UTAX and the UTAX logo are registered trademarks of UTAX GmbH. All other brand names referred to are registered trademarks of the respective owners.

The CLP 3316 and the CLP 3520 are manufactured in accordance with the requirements of the ENERGY STAR Program. UTAX recommends that you use only genuine UTAX accessories for trouble-free operation of your system.

Image shows machine with optional accessories.
*Depending on operating status.
Specifications subject to change without notice.